



1074 Kenran Industrial Blvd
 Saint Louis, MO 63137
 Phone: (800) 381-9968

HUMCO Safety

Datrex Life Vests

DATREX MAXFLOW MESH VEST DX2300

DX2300

TYPE	DATREX COMMERCIAL MAXFLOW MESH VEST
-------------	-------------------------------------

USES

DATREX Maxflow Level 70 Newton lifejacket/PFD is designed for continuous wear while working near shore or easy access to safety. Level 70N is a new standard from USCG that harmonizes the approval across North America and replacing Type III type designation.

Significant features with Datrex Maxflow:

- Both USCG and TC approved, also conforms to ANSI Standards
- Maxflow system to keep the user cooler and more comfortable
- Split foam system that surrounds the torso more uniformly and feels less bulky
- Mesh sides and shoulder for added breathability and comfort, keeping you cool all day
- Contoured lightweight and durable flotation foam for freedom of movement
- True and tailored sizing for today's users available from Small to 2X-Large
- New standard replacing Type III designation
- Two 1" encircling belts with a heavy-duty zipper closure
- Hidden belt to reduce snags
- Two large pockets with hook and loop closure, pull tabs and tether loops inside pockets
- Molle to attach accessories
- Harness hole on back panel to work universally with fall harness protection
- High visibility orange with SOLAS grade retroreflective
- Hand warmer liner behind pockets with fleece
- SOLAS grade retro-reflective tape on front and back of shoulders

SPECIFICATIONS

ITEM NO.	DX2300(X)OJ
USE	Inshore, inland and nearshore waters where rescue is close
TYPE	USCG Approved Level 70N Mesh Vest (Type III replacement)
MINIMUM BUOYANCY	>70N (>15.7 lbs)
SIZES	Small DX2300SOJ, Medium DX2300MOJ, Large DX2300LOJ
SIZES	X-Large DX2300XLOJ, 2XLarge DX23002XLOJ
BAR CODE	Available
JACKETS PER BOX	8
BOX DIMENSIONS	31" x 20" x 16", 13.22 lbs
PRODUCT DIMENSIONS	21" x 17" x 3.5", 1.1 lbs (Large Size)



Patents Pending

APPROVAL/COMPLIANCE

USCG 160.064/4886/0, TC-20504-18, ANSI/CAN/UL 12402-5

---DATREX---



DATREX MAXFLOW L70N MESH VEST DX2300

DX2300



- SOLAS grade retroreflective tape
- USCG L70N Approval (TYPE III replacement)
- Also with Transit Canada and ANSI Approvals
- Molle webbing for attaching accessories
- Generous true sizing available in S,M,L,XL,2XL

- Maxflow (Better mobility and breathability)
- Gusset pocket for larger items
- Pull tab on pocket flap
- Tether loop inside pocket to attach items
- Hand warmer pockets with side opening
- D-ring

Patents Pending

- SOLAS grade retroreflective tape
- Split back for better comfort
- Fall protection harness access
- Four side adjusters for better fit
- Open side mesh for better comfort



DATREX

DATREX MAXFLOW ANSI MESH VEST DX2300XANSIJ

DX2300XANSIJ

TYPE

DATREX COMMERCIAL MAXFLOW ANSI MESH VEST

USES

DATREX Maxflow Level 70 Newton lifejacket/PFD ANSI is designed for continuous wear while working near shore or easy access to safety. Level 70N is a new standard from USCG that harmonizes the approval across North America and replacing Type III type designation.

FEATURES

- Both USCG and TC approved, also conforms to ANSI Standards (PFD)
- Meets both ANSI 107-2010 and 107-2015
- 107-2010 Class 2 / Level 2, 107-2015 Type R / Class 2
- Maxflow system to keep the user cooler and more comfortable
- Split foam system that surrounds the torso more uniformly and feels less bulky
- Contoured lightweight and durable flotation foam for freedom of movement
- True and tailored sizing for today's users available from Medium to 3X-Large
- New standard replacing Type III designation
- Two 1" encircling belts with a heavy-duty zipper closure
- Hidden belt to reduce snags
- Two large pockets with hook and loop closure, tether loops inside pockets
- Harness hole on back panel to work universally with fall harness protection
- High visibility ANSI fabric with ANSI grade retroreflective
- Hand warmer liner behind pockets with fleece
- USCG 160.064/4886/0, TC-20504-18, ANSI/CAN/UL 12402-5
- Patented design

SPECIFICATIONS

ITEM NO.	DX2300(X)ANSIJ
USE	Inshore, inland and nearshore waters where rescue is close
TYPE	USCG Approved Level 70N Mesh Vest (Type III replacement)
MINIMUM BUOYANCY	>70N (>15.7 lbs)
SIZES	Medium DX2300MANSIJ, Large DX2300LANSIJ
SIZES	XL-DX2300XLANSIJ, 2XL-DX23002XLANSIJ, 3XL-DX23003XLANSIJ
BAR CODE	Available per size
JACKETS PER BOX	8
BOX DIMENSIONS	31" x 20" x 16", 13.22 lbs
PRODUCT DIMENSIONS	21" x 17" x 3.5", 1.1 lbs (Large Size)



APPROVAL/COMPLIANCE

USCG 160.064/4886/0, TC-20504-18, ANSI/CAN/UL 12402-5



...DATREX...

DATREX MAXFLOW L70N MESH VEST DX2300

DX2300ANSIJ

- ANSI grade retroreflective tape
- USCG L70N Approval (TYPE III replacement)
- Also with Transit Canada and ANSI Approvals
- Meets both ANSI 107-2010 AND 107-2015
- Generous sizing available in M,L,XL,2XL and 3XL
- 107-2010 Class 2 / Level 2, 107-2015 Type R / Class 2

- Maxflow (Better mobility and breathability)
- Gusset pocket for larger items
- Tether loop inside pocket to attach items
- Hand warmer pockets with side opening
- D-ring



- ANSI grade retroreflective tape
- Split back for better comfort
- Fall protection harness access



---DATREX---