



1074 Kenran Industrial Dr.
St. Louis, MO 63137
Phone: 1-800-381-9968

HUMCO ENGINE ROOM

WYK Universal Sorbents

For use on oils, acids*, bases, chemicals & toxic liquids

SUPER SORBENT * Lightweight, Hi-Capacity Particulate

Absorbs 10 times more liquid* than clay products. Exceeds EPA landfill rules; passes Paint Filter & TCLP tests. Non-corrosive; non-toxic & non-flammable. Non-biodegradable and inert.

Reduces Workers' Compensation Claims — Lightweight formula eliminates lifting & handling heavy bags. Absorbs more with less weight.

Minimizes Slip/Fall Injuries — Use as part of daily maintenance procedures; stop tracking of oils. Insures clean, dry, safe floors for employees and visitors alike.

Eliminates Fire Hazards — Prevents accumulation of grease & oily dirt on floors & ramps; reduces combustible, hazardous & annoying fumes & vapors.

2005 1¾ lbs. in Shaker Carton; 6/case
Absorbs 3.5 gal Shipping weight 12 lbs

2012 1¾ lbs. in Shaker Carton; 12/case
Absorbs 7 gal Shipping weight 24 lbs

2015 16 lbs. Box w/liner
Absorbs 5.5 gal Shipping weight 17 lbs

2018 16 lbs. in Multi-Wall, Lined Bag
Absorbs 5.5 gal Shipping weight 17 lbs

2028 18 lbs. in 5 Gal reusable pail
Absorbs 6 gal Shipping weight 22 lbs

2020 70 lbs. in a 20 Gal Reusable Drum
Absorbs 24 gal Shipping weight 84 lbs

2030 105 lbs. in 30 gal reusable drum
Absorbs 35 gal Shipping weight 119 lbs

2055 190 lbs. in 55 gal reusable drum
Absorbs 64 gal Shipping weight 205 lbs

2090 1,500 Lbs in a Super Sack bulk bag
Absorbs 495 gal Shipping weight 1,510 Lbs

SUPER SORBENT SOCKS *

Contain & channel liquids*. Heavy, dense socks mold to ground; stopping the spread of liquids. Passes Paint Filter & TCLP tests.

2545 Sock, 4" x 4'; 6/case. Absorbs 9 gal
Shipping weight 31 lbs

2546 Sock, 4" x 10'; 3/case. Absorbs 11 gal
Shipping weight 39 lbs






1074 Kenran Industrial Dr.
St. Louis, MO 63137
Phone: 1-800-381-9968

HUMCO ENGINE ROOM

WYK Universal Sorbents

For use on oils, acids*, bases, chemicals & toxic liquids



SAFETY SORBENT *

The Original, Anti-Slip Particulate

Fast, thorough cleanup of all liquids. Leaves surfaces clean & 100% dry. Provides traction on wet, oily & icy surfaces. Non-biodegradable, inert mineral, no respirable silica. **Exceeds EPA landfill rules & regulations.**

- | | |
|------------|--|
| 500 | 2½ lbs in Shaker Carton; 12/case
Absorbs 4 gal Shipping weight 33 lbs |
| 505 | 2½ lbs in Shaker Carton; 6/case
Absorbs 2 gal Shipping weight 17 lbs |
| 510 | 25 lbs in Multi-Wall, Lined Bag
Absorbs 3 gal Shipping weight 26 lbs |
| 520 | 110 lbs in 20 Gallon Drum
Absorbs 14 gal Shipping weight 125 lbs |
| 525 | 25 lbs in Multi-Wall, Lined Box
Absorbs 3 gal Shipping weight 27 lbs |
| 530 | 170 lbs in 30 Gallon Drum
Absorbs 22 gal Shipping weight 184 lbs |
| 535 | 40 lbs in Lined Box
Absorbs 5 gal Shipping weight 42 lbs |
| 555 | 300 lbs in 55 Gallon Drum
Absorbs 39 gal Shipping weight 315 lbs |
| 580 | 36 lbs in 6.5 Gallon Pail
Absorbs 4.5 gal Shipping weight 40 lbs |
| 590 | Super Sack, Absorbs 250 gal Shipping weight 2,010 lbs |

7

ACID NEUTRALIZING SORBENT*

Fast, safe and efficient method to neutralize and absorb acid* spills

ACIDSAFE * with color indicator provides color change to show complete neutralization. Minimize safety risks & environmental hazards. For battery charging stations, telephone cell sites/central offices, laboratories & locations with acid spill exposure.



- | | |
|---------------|--|
| AN3005 | 2 lbs. in Shaker Carton; 6/case
Absorbs 1.2 gal Shipping weight 14 lbs |
| AN3024 | 2 lbs. in Shaker Carton; 12/case
Absorbs 2.4 gal Shipping weight 27 lbs |
| AN3025 | 20 lbs in a lined UPS-able box
Absorbs 2 gal Shipping weight 21 lbs |
| AN3030 | 30 lbs. in 5 gallon Pail
Absorbs 3 gal Shipping weight 34 lbs |
| AN3080 | 80 lbs. in 20 gal Drum
Absorbs 8 gal Shipping weight 90 lbs |
| AN3220 | 220 lbs. in 55 gal Drum
Absorbs 22 gal Shipping weight 235 lbs |

565

*Not for use on hydrofluoric acid or HF compounds.



1074 Kenran Industrial Dr.
St. Louis, MO 63137
Phone: 1-800-381-9968

HUMCO ENGINE ROOM

WYK Universal Sorbents

For use on oils, acids*, bases, chemicals & toxic liquids

Fresh Wintergreen Scent

Absorbance

Quickly absorbs fluid accidents

- Convenient Shaker Carton
- Fast acting on vomitus liquids
- Environmentally safe
- Works on all surfaces
- Absorbs 10 times its weight

*Absorbance is ideally suited for use in Schools, School Buses, Play Areas, Restrooms, Medical Facilities, Nursing Homes, Retail Stores, Theaters, Restaurants, Churches, Veterinary Clinics, Airports, Sporting Arenas, and Transportation Vehicles.

2600 Shaker Carton; 12/case (1/2 lb. carton)
Absorbs 7.5 gallons Shipping weight 6 lbs

2605 Shaker Carton; 6/case (1/2 lb. carton)
Absorbs 3.75 gallons Shipping weight 3 lbs



WYK UNIVERSAL HAZ-MAT SORBENTS

For use on oils, acids*, bases, chemicals & toxic liquids

UNIVERSAL / HAZ-MAT SOCKS & PILLOWS*

Quick acting, high capacity. Absorbs liquids on contact. Non-biodegradable, inert mineral for all liquids*. Exceeds EPA landfill rules. Passes Paint Filter & TCLP Tests. Absorbs 14 times their weight.

600 Socks; 4" x 4'; 15/case
Absorbs 10 gallons. Shipping weight 11 lbs

603 Socks; 4" x 10'; 6/case
Absorbs 10 gallons. Shipping weight 11 lbs

630 Lab Pillow; 4" x 14" x 1.5"; 18/case
Absorbs 4 gallons. Shipping weight 5 lbs

640 Large Pillow; 10" x 18" x 2"; 20/case
Absorbs 20 gallons. Shipping weight 21 lbs

641 Medium Pillow; 10" x 10" x 2"; 15/Case
Absorbs 10 gallons. Shipping weight 10 lbs

645 Large Pillow; 10" x 18" x 2"; 12/case
Absorbs 12 gallons. Shipping weight 13 lbs



UNIVERSAL HAZ-MAT DRIP PANS*

Square, heavy duty polyethylene drip pans with highly absorbent replaceable Haz-Mat pillow, catches and holds liquids* from leaks and drips - stops spread of fluids. Replace saturated pillow with new one; reuse drip pan. Pillow absorbs 1/2 gallon of liquid.

460 Case of (3) Reusable Pans & (12) Pillows
Absorbs 7 gallons. Shipping weight 12 lbs



566

*Not for use on hydrofluoric acid or HF compounds.



1074 Kenran Industrial Dr.
St. Louis, MO 63137
Phone: 1-800-381-9968

HUMCO ENGINE ROOM

WYK Universal Sorbents

For use on oils, acids, bases, chemicals & toxic liquids



HI-CAPACITY UNIVERSAL PADS & ROLLS

Polypropylene w/Spun bond Cover Stock Heat-sealed for extra strength; highly absorbent. For oils, acids, caustics, solvents & aqueous liquids. "Soft Touch" Pad

- 4404** Perforated pad; 19" x 15"; 100/pkg
Absorbs 31 gallons Shipping weight 15 lbs

- 4404-25** Perforated pad; 19" x 15"; 25/Pkg
Absorbs 7.75 gallons Shipping weight 5 lbs

- 4423** Perforated roll; 150' X 15"
Absorbs 30 gallons Shipping weight 15.5 lbs

- 4424** Perforated roll; 150' X 30"
Absorbs 60 gallons Shipping weight 31 lbs



PREMEUM UNIVERSAL PADS & ROLLS

High Loft MeltBlown core w/Fine Fiber Cover Stock Grips floor for safe walking; highly absorbent. For oils, acids, caustics, solvents & aqueous liquids.

- 4303** Perforated pads 19" x 15"; 100/pkg
Absorbs 29 gal Shipping weight 15 lbs

- 4303-25** Perforated pads 19" x 15"; 25/ Pkg
Absorbs 7 gal Shipping weight 5 lbs

- 4415** Perforated rolls 150' X 30" ; 1/Pkg
Absorbs 55 gal Shipping weight 34 lbs

- 4420** Perforated pads ; 19" x 15" x 3/16"; 200/pkg
Absorbs 28 gal Shipping weight 15 lbs

- 4420-50** Perforated pads ; 19" x 15" x 3/16"; 50/pkg
Absorbs 7 gal Shipping weight 5 lbs

7



UNIVERSAL BOOMS - Contain large spills on land

Non-shedding booms link to form absorbent barrier. Nylon mesh covering & inner full-length rope provide strength during deployment / retrieval; absorbs 15 times their weight.

- 445** 8" x 10' Boom; 4/pkg
Absorbs 48 gal Shipping weight 42 lbs

- 450** 5" x 10' Boom; 4/pkg
Absorbs 30 gal Shipping weight 22 lbs



UNIVERSAL DRUM TOP PADS

Drum top pads are pre-cut to fit 55-gallon drums; prevent pump drips from reaching the floor & keep drum tops and drum storage areas clean.

- 405** 55 Gal. Drum Top Pad, 25/pkg
Absorbs 9 gal Shipping weight 7 lbs



1074 Kenran Industrial Dr.
St. Louis, MO 63137
Phone: 1-800-381-9968

HUMCO ENGINE ROOM

WYK General Purpose Sorbents

For use on oils, water, and other *non-aggressive* liquids

GENERAL PURPOSE SOCKS (grey)

For oils, water and other non-aggressive fluids.

222 Socks; 3" x 4'; 30/case Absorbs 30 gallons. Ship weight 34 lbs

224 Socks; 3" x 12'; 10/case Absorbs 30 gallons. Ship weight 34 lbs

GENERAL PURPOSE PILLOWS * (New Grey Color, Not shown)

230 Pillow; 10" x 18" x 2"; 24/case Absorbs 24 gallons. Ship weight 25 lbs

231 Pillow; 10" x 10" x 2"; 24/case Absorbs 13 gallons. Ship weight 16 lbs



GENERAL PURPOSE FABRIC RUG

Fire resistant natural fiber fabric rug made from recycled materials. For aisles, walkways, leaky equipment & around machinery to catch over spray; prevent slips. A low cost, highly absorbent material designed to improve good housekeeping habits.

280 Fabric rug; 36" x 150'; recycled natural fiber Absorbs 50 gallons. Shipping weight 50 lbs

281 Fabric rug; 18" x 150'; recycled natural fiber Absorbs 25 gallons. Shipping weight 25 lbs



7

Needle-punched Industrial Rug

100 % needle-punched polypropylene. High tear strength and durability. Absorbs all liquids from water to oil, coolants, chemicals or even acidic liquids. A very tough nonwoven fabric for use anywhere heavy traffic and liquids are present.

4410 Needle-punched Rug 36" X 300' 100% Poly Absorbs 54 Gallons Ship weight 50 Lbs



GENERAL PURPOSE DRIP PANS *

Square, heavy duty polyethylene drip pans; highly absorbent pillow catches & holds liquids from leaks and drips - Replace saturated pillow with new one; reuse drip pan.

260 Case of (3) Reusable Pans & (12) Pillows. Absorbs 6 gallons. Shipping weight 10 lbs



568

*Not for use on hydrofluoric acid or HF compounds.

(New, Grey Pillow Color, Not shown)




1074 Kenran Industrial Dr.
St. Louis, MO 63137
Phone: 1-800-381-9968

HUMCO ENGINE ROOM

WYK Oil Only Sorbents

For use on petroleum/hydrocarbon-based liquids



OIL ONLY PADS & ROLLS

Extra Strong, Polypropylene w/Spun bond Covers. Absorbs 20 times their weight. Heat-sealed & dimpled for extra strength; Absorbs oils on water.

- 7704** No lint, perforated pad; 19" x 15"; 100/pkg
Absorbs 31 gal. Shipping weight 15 lbs

- 7704-25** No lint, perforated pad; 19" x 15"; 25/pkg
Absorbs 7.75 gal. Shipping weight 5 lbs

- 7723** No lint, perforated roll; 150' x 15"
Absorbs 30 gal. Shipping weight 15.5 lbs

- 7724** No lint, perforated roll; 150' x 30"
Absorbs 60 gal. Shipping weight 31 lbs

INDUSTRIAL OIL ONLY PADS & ROLLS

Dimpled & Perforated Melt Blown Polypropylene. Absorbs 20 times their weight; catch leaks, drips & clean up spills.



- 7700** Oil Pad; 19" x 15" x 3/8"; 100/pkg
Absorbs 33 gallons. Shipping weight 15 lbs

- 7700-25** Oil Pad; 19" x 15" x 3/8"; 25/pkg
Absorbs 8 gallons. Shipping weight 5 lbs

- 7705** Large Oil Pad; 30" x 30" x 3/8"; 50/pkg
Absorbs 53 gallons. Shipping weight 28 lbs

- 7720** Oil Pad/Wipe; 19" x 15" x 3/16"; 200/pkg
Absorbs 35 gallons. Shipping weight 15 lbs

- 7720-50** Oil Pad/Wipe; 19" x 15" x 3/16"; 50/pkg
Absorbs 8.75 gallons. Shipping weight 5 lbs

- 7721** Fine Fiber Oil Pad; 19" x 15" x 3/16"; 200/pkg
Absorbs 28 gallons. Shipping weight 15 lbs

- 7721-50** Fine Fiber Oil Pad; 19" x 15" x 3/16"; 50/pkg
Absorbs 7 gallons. Shipping weight 5 lbs

- 7710** Oil Roll; 150' x 30"
Absorbs 63.4 gallons. Shipping weight 28 lbs

- 7711** Oil Roll; 150' x 15"
Absorbs 31.7 gallons. Shipping weight 14 lbs

PREMIUM OIL ONLY PADS & ROLLS

Lint Free Oil Pads & Rolls– Use on Oils, Hydrocarbons, & other Petroleum Based liquids– Repels water.

- 7703** No lint, perforated pad; 19" x 15"; 100/ Pkg
Absorbs 29 gal. Shipping weight 15 lbs

- 7703-25** No lint, perforated pad; 19" x 15"; 25/ Pkg
Absorbs 7 gal. Shipping weight 5 lbs

- 7714** No lint, perforated roll; 150' x 30"
Absorbs 54 gal. Shipping weight 28 lbs





1074 Kenran Industrial Dr.
St. Louis, MO 63137
Phone: 1-800-381-9968

HUMCO ENGINE ROOM

WYK Oil Only Sorbents

For use on petroleum/hydrocarbon-based liquids



OIL ONLY BOOMS

Contain oil spills on land & water. Non-shedding, filled with Polypropylene. Booms link to form absorbent barrier. Inner full-length rope provides strength during deployment & retrieval. Repels water; floats when fully saturated with oils. Non-biodegradable & incinerable.

- 745** Large Boom; 8" x 10'; 4/pkg. Absorbs 48 gallons
Shipping weight 42 lbs
- 750** Small Boom; 5" x 10'; 4/pkg. Absorbs 30 gallons
Shipping weight 22 lbs

OIL ONLY SOCKS

Contain oil spills on land & water. Repels water; floats when fully saturated with oils.

- 780** Oil Sock; 3" x 4'; 12/pkg. Absorbs 12 gallons
Shipping weight 12 lbs
- 782** Oil Sock; 3" x 4'; 30/pkg. Absorbs 30 gallons
Shipping weight 34 lbs
- 787** Oil Sock; 3" x 12'; 10/pkg. Absorbs 30 gallons
Shipping weight 34 lbs



7

OIL ONLY PILLOWS, DRUMTOP PADS, SWEEPS & PARTICULATE

Bulk Pillows & Mini-Booms work in boat bilges, sewers, sumps, settling tanks & culverts to trap oils & other hydrocarbons.

- 740** Bulk Bag Pillow; 6" x 16" x 25"; 10/pkg
Absorbs 28 gal. Shipping weight 15 lbs
- 742** Sump/Bilge Mini-Boom; 5" x 13"; 15/pkg
Absorbs 30 gal. Shipping weight 16 lbs
- 743** Oil Pillow; 10" x 10" x 2"; 24/case
Absorbs 35 gal. Shipping weight 22 lbs



Drum Top Pads improve housekeeping; prevent leaks from causing bigger problems. Sweeps remove oil sheen from water. Polypropylene particulate absorbs oils & petroleum based liquids on land & water.

- 707** Drum Top Pad; 55 gal. Size; 25/pkg
Absorbs 9 gal. Shipping weight 7 lbs
- 730** Oil Sweep; 19" x 100 ft.; 1/pkg
Absorbs 22 gal. Shipping weight 12 lbs
- 770** Particulate; Shredded Poly; Bag
Absorbs 46 gal. Shipping weight 25 lbs

